



大型フリューム 用水型・排水型

M-I フリューム

特徴


- 通常の大型フリュームより側壁を額縁形状にすることで、製品質量を抑えた製品です。
- 水路高さ700mm～2000mmまで対応可能。
- 水路幅600mm～3000mmまで対応可能。
- 張り出し有りタイプの張り出し長さは50mm～200mmまで対応可能。
- 排水型は両側壁に水抜き孔があります。
- 張り出し有りタイプの規格については営業担当者までお問い合わせください。



※ H1200 以上とする




張り出し無しタイプ



※ H1200 以上とする

張り出し有りタイプ（浮力対応型）



呼び名		寸 法 (mm)												参考質量 (kg)	
h (深) × a (幅)		H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張り出し無 しタイプ	張り出し有 りタイプ
700	600			600	800	550	740							840	
	700			700	900	650	840							880	
	800			800	1000	750	940							930	
	900			900	1100	850	1040							970	
	1000			1000	1200	950	1140							1020	
	1100			1100	1300	1050	1240							1060	
	1200			1200	1400	1150	1340							1100	
	1300	795	700	1300	1500	1250	1440	70	55	95	70	95	100	1150	
	1400			1400	1600	1350	1540							1190	
	1500			1500	1700	1450	1640							1240	
	1600			1600	1800	1550	1740							1280	
	1700			1700	1900	1650	1840							1330	
	1800			1800	2000	1750	1940							1370	
	1900			1900	2100	1850	2040							1420	
	2000			2000	2200	1950	2140							1460	
800	600			600	800	550	740							910	
	700			700	900	650	840							950	
	800			800	1000	750	940							1000	
	900			900	1100	850	1040							1040	
	1000			1000	1200	950	1140							1090	
	1100			1100	1300	1050	1240							1130	
	1200			1200	1400	1150	1340							1180	
	1300	895	800	1300	1500	1250	1440	70	55	95	75	95	100	1220	
	1400			1400	1600	1350	1540							1270	
	1500			1500	1700	1450	1640							1310	
	1600			1600	1800	1550	1740							1360	
	1700			1700	1900	1650	1840							1400	
	1800			1800	2000	1750	1940							1450	
	1900			1900	2100	1850	2040							1490	
	2000			2000	2200	1950	2140							1540	

●張り出し有りタイプの張り出し長さは、50mm～200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。




大型フリューム 用水型・排水型

M-I フリューム

H-900~1100



張り出し無しタイプ



※ H1200 以上とする



張り出し有りタイプ（浮力対応型）




呼び名		寸 法 (mm)											参考質量 (kg)	
h (深) × a (幅)	H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張り出し無し タイプ	張り出し有り タイプ
900	600	1000	600	810	550	750	75	60	100	80	100	100	1040	
	700		700	910	650	850							1090	
	800		800	1010	750	950							1130	
	900		900	1110	850	1050							1180	
	1000		1000	1210	950	1150							1230	
	1100		1100	1310	1050	1250							1270	
	1200		1200	1410	1150	1350							1320	
	1300		1300	1510	1250	1450							1370	
	1400		1400	1610	1350	1550							1410	
	1500		1500	1710	1450	1650							1460	
	1600		1600	1810	1550	1750							1510	
	1700		1700	1910	1650	1850							1560	
	1800		1800	2010	1750	1950							1600	
	1900		1900	2110	1850	2050							1650	
	2000		2000	2210	1950	2150							1700	
1000	600	1110	600	810	530	750	75	60	110	95	110	150	1230	
	700		700	910	630	850							1280	
	800		800	1010	730	950							1330	
	900		900	1110	830	1050							1380	
	1000		1000	1210	930	1150							1430	
	1100		1100	1310	1030	1250							1490	
	1200		1200	1410	1130	1350							1540	
	1300		1300	1510	1230	1450							1590	
	1400		1400	1610	1330	1550							1640	
	1500		1500	1710	1430	1650							1690	
	1600		1600	1810	1530	1750							1740	
	1700		1700	1910	1630	1850							1800	
	1800		1800	2010	1730	1950							1850	
	1900		1900	2110	1830	2050							1900	
1100	2000		2000	2210	1930	2150							1950	
	600	1215	600	820	530	760	80	70	115	105	115	150	1410	
	700		700	920	630	860							1470	
	800		800	1020	730	960							1520	
	900		900	1120	830	1060							1580	
	1000		1000	1220	930	1160							1630	
	1100		1100	1320	1030	1260							1690	
	1200		1200	1420	1130	1360							1740	
	1300		1300	1520	1230	1460							1800	
	1400		1400	1620	1330	1560							1850	
	1500		1500	1720	1430	1660							1900	
	1600		1600	1820	1530	1760							1960	
	1700		1700	1920	1630	1860							2010	
	1800		1800	2020	1730	1960							2060	
	1900		1900	2120	1830	2060							2120	
	2000		2000	2220	1930	2160							2170	
	2100		2100	2320	2030	2260							2230	
	2200		2200	2420	2130	2360							2280	
	2300		2300	2520	2230	2460							2340	
	2400		2400	2620	2330	2560							2390	
	2500		2500	2720	2430	2660							2440	

●張り出し有りタイプの張り出し長さは、50mm~200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。




張り出し無しタイプ



※ H1200 以上とする

張り出し有りタイプ（浮力対応型）




呼び名 h (深) × a (幅)	寸 法 (mm)												参考質量 (kg)	
	H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張り出し無し タイプ	張り出し有り タイプ
1200	600	1325	600	830	520	770	85	70	125	110	125	150	1600	
	700		700	930	620	870							1650	
	800		800	1030	720	970							1720	
	900		900	1130	820	1070							1770	
	1000		1000	1230	920	1170							1830	
	1100		1100	1330	1020	1270							1890	
	1200		1200	1430	1120	1370							1950	
	1300		1300	1530	1220	1470							2010	
	1400		1400	1630	1320	1570							2070	
	1500		1500	1730	1420	1670							2120	
	1600		1600	1830	1520	1770							2190	
	1700		1700	1930	1620	1870							2240	
	1800		1800	2030	1720	1970							2300	
	1900		1900	2130	1820	2070							2360	
	2000		2000	2230	1920	2170							2420	
	2100		2100	2330	2020	2270							2480	
	2200		2200	2430	2120	2370							2540	
1300	2300	1440	2300	2530	2220	2470	95	70	140	120	140	150	2590	
	2400		2400	2630	2320	2570							2660	
	2500		2500	2730	2420	2670							2710	
	600		600	850	510	790							1830	
	700		700	950	610	890							1900	
	800		800	1050	710	990							1960	
	900		900	1150	810	1090							2030	
	1000		1000	1250	910	1190							2100	
	1100		1100	1350	1010	1290							2160	
	1200		1200	1450	1110	1390							2230	
	1300		1300	1550	1210	1490							2290	
	1400		1400	1650	1310	1590							2360	
	1500		1500	1750	1410	1690							2430	
	1600		1600	1850	1510	1790							2490	
	1700		1700	1950	1610	1890							2560	
	1800		1800	2050	1710	1990							2620	
	1900		1900	2150	1810	2090							2690	
	2000		2000	2250	1910	2190							2750	
	2100		2100	2350	2010	2290							2820	
	2200		2200	2450	2110	2390							2890	
	2300		2300	2550	2210	2490							2950	
	2400		2400	2650	2310	2590							3020	
	2500		2500	2750	2410	2690							3080	
	2600		2600	2850	2510	2790							3150	
	2700		2700	2950	2610	2890							3210	
	2800		2800	3050	2710	2990							3280	
	2900		2900	3150	2810	3090							3350	
	3000		3000	3250	2910	3190							3410	

●張り出し有りタイプの張り出し長さは、50mm~200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。





張り出し無しタイプ



※ H1200 以上とする

張り出し有りタイプ（浮力対応型）




呼び名 h (深) × a (幅)	寸 法 (mm)												参考質量 (kg)	
	H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張り出し無し タイプ	張り出し有り タイプ
1400	800		800	1070	710	1010							2180	
	900		900	1170	810	1110							2250	
	1000		1000	1270	910	1210							2320	
	1100		1100	1370	1010	1310							2390	
	1200		1200	1470	1110	1410							2460	
	1300		1300	1570	1210	1510							2530	
	1400		1400	1670	1310	1610							2600	
	1500		1500	1770	1410	1710							2670	
	1600		1600	1870	1510	1810							2740	
	1700		1700	1970	1610	1910							2810	
	1800		1800	2070	1710	2010							2880	
	1900	1550	1400	1900	2170	1810	2110	105	70	150	125	150	2950	
	2000			2000	2270	1910	2210						3020	
	2100			2100	2370	2010	2310						3090	
	2200			2200	2470	2110	2410						3160	
	2300			2300	2570	2210	2510						3230	
	2400			2400	2670	2310	2610						3300	
	2500			2500	2770	2410	2710						3370	
	2600			2600	2870	2510	2810						3450	
	2700			2700	2970	2610	2910						3520	
	2800			2800	3070	2710	3010						3590	
1500	2900			2900	3170	2810	3110						3660	
	3000			3000	3270	2910	3210						3730	
	1000			1000	1280	900	1220						2630	
	1100			1100	1380	1000	1320						2700	
	1200			1200	1480	1100	1420						2780	
	1300			1300	1580	1200	1520						2850	
	1400			1400	1680	1300	1620						2930	
	1500			1500	1780	1400	1720						3000	
	1600			1600	1880	1500	1820						3080	
	1700			1700	1980	1600	1920						3150	
	1800			1800	2080	1700	2020						3230	
	1900			1900	2180	1800	2120						3300	
	2000	1660	1500	2000	2280	1900	2220	110	70	160	135	160	3380	
	2100			2100	2380	2000	2320						3450	
	2200			2200	2480	2100	2420						3530	
	2300			2300	2580	2200	2520						3600	
	2400			2400	2680	2300	2620						3680	
	2500			2500	2780	2400	2720						3760	
	2600			2600	2880	2500	2820						3830	
	2700			2700	2980	2600	2920						3910	
	2800			2800	3080	2700	3020						3980	
	2900			2900	3180	2800	3120						4060	
	3000			3000	3280	2900	3220						4130	

●張り出し有りタイプの張り出し長さは、50mm～200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。




張り出し無しタイプ



※ H1200 以上とする

張り出し有りタイプ（浮力対応型）




呼び名		寸 法 (mm)												参考質量 (kg)	
h (深) × a (幅)		H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張出し無し タイプ	張出し有り タイプ
1600	1000			1000	1290	890	1230							2880	
	1100			1100	1390	990	1330							2960	
	1200			1200	1490	1090	1430							3040	
	1300			1300	1590	1190	1530							3120	
	1400			1400	1690	1290	1630							3200	
	1500			1500	1790	1390	1730							3280	
	1600			1600	1890	1490	1830							3360	
	1700			1700	1990	1590	1930							3440	
	1800			1800	2090	1690	2030							3520	
	1900			1900	2190	1790	2130							3600	
	2000	1770	1600	2000	2290	1890	2230	115	70	170	145	170	250	3680	
	2100			2100	2390	1990	2330							3760	
	2200			2200	2490	2090	2430							3840	
	2300			2300	2590	2190	2530							3920	
	2400			2400	2690	2290	2630							4000	
	2500			2500	2790	2390	2730							4070	
	2600			2600	2890	2490	2830							4150	
	2700			2700	2990	2590	2930							4230	
	2800			2800	3090	2690	3030							4310	
	2900			2900	3190	2790	3130							4390	
3000			3000	3290	2890	3230							4470		
1700	1000			1000	1300	880	1240							3110	
	1100			1100	1400	980	1340							3190	
	1200			1200	1500	1080	1440							3280	
	1300			1300	1600	1180	1540							3360	
	1400			1400	1700	1280	1640							3450	
	1500			1500	1800	1380	1740							3530	
	1600			1600	1900	1480	1840							3610	
	1700			1700	2000	1580	1940							3700	
	1800			1800	2100	1680	2040							3780	
	1900			1900	2200	1780	2140							3870	
	2000	1880	1700	2000	2300	1880	2240	120	70	180	150	180	250	3950	
	2100			2100	2400	1980	2340							4040	
	2200			2200	2500	2080	2440							4120	
	2300			2300	2600	2180	2540							4210	
	2400			2400	2700	2280	2640							4290	
	2500			2500	2800	2380	2740							4380	
	2600			2600	2900	2480	2840							4460	
	2700			2700	3000	2580	2940							4540	
	2800			2800	3100	2680	3040							4630	
	2900			2900	3200	2780	3140							4710	
3000			3000	3300	2880	3240							4800		

●張り出し有りタイプの張り出し長さは、50mm~200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。


●排水用の場合は水抜きがつきます。





張り出し無しタイプ



※ H1200 以上とする



張り出し有りタイプ（浮力対応型）




呼び名		寸 法 (mm)											参考質量 (kg)	
h (深) × a (幅)	H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張り出し無し タイプ	張り出し有り タイプ
1800	1000		1000	1300	880	1240							3240	
	1100		1100	1400	980	1340							3330	
	1200		1200	1500	1080	1440							3410	
	1300		1300	1600	1180	1540							3500	
	1400		1400	1700	1280	1640							3580	
	1500		1500	1800	1380	1740							3670	
	1600		1600	1900	1480	1840							3750	
	1700		1700	2000	1580	1940							3840	
	1800		1800	2100	1680	2040							3920	
	1900		1900	2200	1780	2140							4000	
	2000	1980	1800	2000	2300	1880	120	70	180	155	180	250	4090	
	2100			2100	2400	1980							4170	
	2200			2200	2500	2080							4260	
	2300			2300	2600	2180							4340	
1900	2400			2400	2700	2280							4430	
	2500			2500	2800	2380							4510	
	2600			2600	2900	2480							4600	
	2700			2700	3000	2580							4680	
	2800			2800	3100	2680							4770	
	2900			2900	3200	2780							4850	
	3000			3000	3300	2880							4940	
	1000			1000	1310	870	125	80	190	170	190	250	3620	
	1100			1100	1410	970							3710	
	1200			1200	1510	1070							3800	
	1300			1300	1610	1170							3890	
	1400			1400	1710	1270							3980	
	1500			1500	1810	1370							4070	
	1600			1600	1910	1470							4150	
	1700			1700	2010	1570							4240	
	1800			1800	2110	1670							4330	
	1900			1900	2210	1770							4420	
	2000	2090	1900	2000	2310	1870	125	80	190	170	190	250	4510	
	2100			2100	2410	1970							4600	
	2200			2200	2510	2070							4690	
	2300			2300	2610	2170							4780	
	2400			2400	2710	2270							4870	
	2500			2500	2810	2370							4960	
	2600			2600	2910	2470							5050	
	2700			2700	3010	2570							5140	
	2800			2800	3110	2670							5230	
	2900			2900	3210	2770							5320	
	3000			3000	3310	2870							5410	

●張り出し有りタイプの張り出し長さは、50mm～200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。




張り出し無しタイプ



※ H1200 以上とする

張り出し有りタイプ（浮力対応型）



呼び名		寸 法 (mm)												参考質量 (kg)	
h (深) × a (幅)		H	h	a	B	b	c	t1	t1'	t2	t2'	t3	r	張出し無し タイプ	張出し有り タイプ
2000	1000			1000	1310	870	1250							3740	
	1100			1100	1410	970	1350							3830	
	1200			1200	1510	1070	1450							3920	
	1300			1300	1610	1170	1550							4010	
	1400			1400	1710	1270	1650							4100	
	1500			1500	1810	1370	1750							4190	
	1600			1600	1910	1470	1850							4280	
	1700			1700	2010	1570	1950							4370	
	1800			1800	2110	1670	2050							4460	
	1900			1900	2210	1770	2150							4540	
	2000	2190	2000	2000	2310	1870	2250	125	80	190	170	190	250	4630	
	2100			2100	2410	1970	2350							4720	
	2200			2200	2510	2070	2450							4810	
	2300			2300	2610	2170	2550							4900	
	2400			2400	2710	2270	2650							4990	
	2500			2500	2810	2370	2750							5080	
	2600			2600	2910	2470	2850							5170	
	2700			2700	3010	2570	2950							5260	
	2800			2800	3110	2670	3050							5350	
	2900			2900	3210	2770	3150							5440	
	3000			3000	3310	2870	3250							5530	

●張り出し有りタイプの張り出し長さは、50mm～200mmまで対応可能です。 ●張り出し有りタイプについては、営業担当者までお問い合わせください。

●排水用の場合は水抜きがつきます。

