



T-25対応


パワフルボックスカルバート



T-25対応

パワフルボックスカルバート

幅 600～900




呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
600	400		660					1740
	500		760					1870
	600		860					2000
	700	860	960	130	130	100	2000	2130
	800		1060					2260
	900		1160					2390
	1000		1260					2520
700	400		660					1870
	500		760					2000
	600		860					2130
	700	960	960	130	130	100	2000	2260
	800		1060					2390
	900		1160					2520
	1000		1260					2650
800	400		660					2000
	500		760					2130
	600		860					2260
	700		960					2390
	800		1060					2520
	900	1060	1160	130	130	100	2000	2650
	1000		1260					2780
	1100		1360					2910
	1200		1460					3040
	1300		1560					3170
	1400		1660					3300
	1500		1760					3430
900	400		660					2130
	500		760					2260
	600		860					2390
	700		960					2520
	800		1060					2650
	900	1160	1160	130	130	100	2000	2780
	1000		1260					2910
	1100		1360					3040
	1200		1460					3170
	1300		1560					3300
	1400		1660					3430
	1500		1760					3560



T-25対応

パワフルボックスカルバート

幅 1000～1200





呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底板厚 a	側壁厚 b	ハンチ c	長さ L	
1000	500	1260	760	130	130	150	2000	2520
	600		860					2650
	700		960					2780
	800		1060					2910
	900		1160					3040
	1000		1260					3170
	1100		1360					3300
	1200		1460					3430
	1300		1560					3560
	1400		1660					3690
	1500		1760					3820
1100	500	1360	760	130	130	150	2000	2650
	600		860					2780
	700		960					2910
	800		1060					3040
	900		1160					3170
	1000		1260					3300
	1100		1360					3430
	1200		1460					3560
	1300		1560					3690
	1400		1660					3820
	1500		1760					3950
1200	500	1460	760	130	130	150	2000	2780
	600		860					2910
	700		960					3040
	800		1060					3170
	900		1160					3300
	1000		1260					3430
	1100		1360					3560
	1200		1460					3690
	1300		1560					3820
	1400		1660					3950
	1500		1760					4080
	1600		1860					4210



T-25対応

パワフルボックスカルバート

幅 1300～1500





呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底版厚 a	側壁厚 b	ハンチ c	長さ L	
1300	600	1560	880	140	130	150	2000	3190
	700		980					3320
	800		1080					3450
	900		1180					3580
	1000		1280					3710
	1100		1380					3840
	1200		1480					3970
	1300		1580					4100
	1400		1680					4230
	1500		1780					4360
	1600		1880					4490
	1700		1980					4620
	1800		2080					4750
	1900		2180					4880
	2000		2280					5010
1400	600	1660	900	150	130	150	2000	3500
	700		1000					3630
	800		1100					3760
	900		1200					3890
	1000		1300					4020
	1100		1400					4150
	1200		1500					4280
	1300		1600					4410
	1400		1700					4540
	1500		1800					4670
	1600		1900					4800
	1700		2000					4930
	1800		2100					5060
	1900		2200					5190
	2000		2300					5320
1500	600	1780	920	160	140	150	2000	3920
	700		1020					4060
	800		1120					4200
	900		1220					4340
	1000		1320					4480
	1100		1420					4620
	1200		1520					4760
	1300		1620					4900
	1400		1720					5040
	1500		1820					5180
	1600		1920					5320
	1700		2020					5460
	1800		2120					5600
	1900		2220					5740
	2000		2320					5880



T-25対応

パワフルボックスカルバート

幅 1600~1700




呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底板厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
1600	700	1880	1020	160	140	150	2000	4220
	800		1120					4360
	900		1220					4500
	1000		1320					4640
	1100		1420					4780
	1200		1520					4920
	1300		1620					5060
	1400		1720					5200
	1500		1820					5340
	1600		1920					5480
	1700		2020					5620
	1800		2120					5760
	1900		2220					5900
	2000		2320					6040
1700	500	2000	840	170	150	150	2000	4380
	600		940					4530
	700		1040					4680
	800		1140					4830
	900		1240					4980
	1000		1340					5130
	1100		1440					5280
	1200		1540					5430
	1300		1640					5580
	1400		1740					5730
	1500		1840					5880
	1600		1940					6030
	1700		2040					6180
	1800		2140					6330
	1900		2240					6480
	2000		2340					6630
	2100		2440					6780
	2200		2540					6930
	2300		2640					7080
	2400		2740					7230
	2500		2840					7380



T-25対応

パワフルボックスカルバート

幅 1800～1900





呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底版厚 a	側壁厚 b	ハンチ c	長さ L	
1800	500		840					4550
	600		940					4700
	700		1040					4850
	800		1140					5000
	900		1240					5150
	1000		1340					5300
	1100		1440					5450
	1200		1540					5600
	1300		1640					5750
	1400		1740					5900
	1500	2100	1840	170	150	150	2000	6050
	1600		1940					6200
	1700		2040					6350
	1800		2140					6500
	1900		2240					6650
	2000		2340					6800
	2100		2440					6950
	2200		2540					7100
	2300		2640					7250
	2400		2740					7400
	2500		2840					7550
1900	500		840					4720
	600		940					4870
	700		1040					5020
	800		1140					5170
	900		1240					5320
	1000		1340					5470
	1100		1440					5620
	1200		1540					5770
	1300		1640					5920
	1400		1740					6070
	1500	2200	1840	170	150	150	2000	6220
	1600		1940					6370
	1700		2040					6520
	1800		2140					6670
	1900		2240					6820
	2000		2340					6970
	2100		2440					7120
	2200		2540					7270
	2300		2640					7420
	2400		2740					7570
	2500		2840					7720



T-25対応

パワフルボックスカルバート

幅 2000～2100





呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
2000	700		1060					5700
	800		1160					5860
	900		1260					6020
	1000		1360					6180
	1100		1460					6340
	1200		1560					6500
	1300		1660					6660
	1400		1760					6820
	1500		1860					6980
	1600	2320	1960	180	160	200	2000	7140
	1700		2060					7300
	1800		2160					7460
	1900		2260					7620
	2000		2360					7780
	2100		2460					7940
	2200		2560					8100
	2300		2660					8260
	2400		2760					8420
	2500		2860					8580
2100	600		1000					6400
	700		1100					6590
	800		1200					6760
	900		1300					6950
	1000	2460	1400	200	180	200	2000	7120
	1100		1500					7310
	1200		1600					7480
	1300		1700					7670
	1400		1800					7840
	1500		1900					8030
	1600		2000					6150
	1700		2100					6290
	1800		2200					6420
	1900		2300					6560
	2000	2460	2400	200	180	200	1500	6690
	2100		2500					6830
	2200		2600					6960
	2300		2700					7100
	2400		2800					7230
	2500		2900					7370



T-25対応

パワフルボックスカルバート

幅 2200～2300




呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
2200	600	2560	1000	200	180	200	1500	4950
	700		1100					5090
	800		1200					5220
	900		1300					5360
	1000		1400					5490
	1100		1500					5630
	1200		1600					5760
	1300		1700					5900
	1400		1800					6030
	1500		1900					6170
	1600		2000					6300
	1700		2100					6440
	1800		2200					6570
	1900		2300					6710
	2000		2400					6840
	2100		2500					6980
	2200		2600					7110
	2300		2700					7250
	2400		2800					7380
	2500		2900					7520
	2600		3000					7650
	2700		3100					7790
2300	600	2660	1000	200	180	200	1500	5100
	700		1100					5240
	800		1200					5370
	900		1300					5510
	1000		1400					5640
	1100		1500					5780
	1200		1600					5910
	1300		1700					6050
	1400		1800					6180
	1500		1900					6320
	1600		2000					6450
	1700		2100					6590
	1800		2200					6720
	1900		2300					6860
	2000		2400					6990
	2100		2500					7130
	2200		2600					7260
	2300		2700					7400
	2400		2800					7530
	2500		2900					7670



T-25対応

パワフルボックスカルバート

幅 2400～2500




呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底版厚 a	側壁厚 b	ハンチ c	長さ L	
2400	600	2800	1040	220	200	200	1500	5820
	700		1140					5970
	800		1240					6120
	900		1340					6270
	1000		1440					6420
	1100		1540					6570
	1200		1640					6720
	1300		1740					6870
	1400		1840					7020
	1500		1940					7170
	1600		2040					7320
	1700		2140					7470
	1800		2240					7620
	1900		2340					7770
	2000		2440					7920
	2100		2540					8070
	2200		2640					8220
	2300		2740					8370
	2400		2840					8520
	2500		2940					8670
	2600		3040					8820
2500	600	2900	1040	220	200	200	1500	5990
	700		1140					6140
	800		1240					6290
	900		1340					6440
	1000		1440					6590
	1100		1540					6740
	1200		1640					6890
	1300		1740					7040
	1400		1840					7190
	1500		1940					7340
	1600		2040					7490
	1700		2140					7640
	1800		2240					7790
	1900		2340					7940
	2000		2440					8090
	2100		2540					8240
	2200		2640					8390
	2300		2740					8540
	2400		2840					8690
	2500		2940					8840
	2600		3040					8990
	2700		3140					9140
	2800		3240					9290
	2900		3340					9440
	3000		3440					9590



T-25対応

パワフルボックスカルバート

幅 2600～2700



呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底板厚 a	側壁厚 b	ハンチ c	長さ L	
2600	600	3000	1100	250	200	200	1500	6830
	700		1200					6980
	800		1300					7130
	900		1400					7280
	1000		1500					7430
	1100		1600					7580
	1200		1700					7730
	1300		1800					7880
	1400		1900					8030
	1500		2000					8180
	1600		2100					8330
	1700		2200					8480
	1800		2300					8630
	1900		2400					8780
	2000		2500					8930
	2100		2600					9080
	2200		2700					9230
	2300		2800					9380
	2400		2900					9530
	2500		3000					9680
	2600		3100					9830
	2700		3200					9980
	2800		3300					10130
	2900		3400					10280
	3000		3500					10430
2700	600	3100	1100	250	200	200	1500	7020
	700		1200					7170
	800		1300					7320
	900		1400					7470
	1000		1500					7620
	1100		1600					7770
	1200		1700					7920
	1300		1800					8070
	1400		1900					8220
	1500		2000					8370
	1600		2100					8520
	1700		2200					8670
	1800		2300					8820
	1900		2400					8970
	2000		2500					9120
	2100		2600					9270
	2200		2700					9420
	2300		2800					9570
	2400		2900					9720
	2500		3000					9870
	2600		3100					10020
	2700		3200					10170
	2800		3300					10320
	2900		3400					10470
	3000		3500					10620


● B2600～3000は、L2000も製作可能です。 ● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 2800~2900



呼び名		寸法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底板厚 a	側壁厚 b	ハンチ c	長さ L	
2800	600	3200	1100	250	200	200	1500	7200
	700		1200					7350
	800		1300					7500
	900		1400					7650
	1000		1500					7800
	1100		1600					7950
	1200		1700					8100
	1300		1800					8250
	1400		1900					8400
	1500		2000					8550
	1600		2100					8700
	1700		2200					8850
	1800		2300					9000
	1900		2400					9150
	2000		2500					9300
	2100		2600					9450
	2200		2700					9600
	2300		2800					9750
	2400		2900					9900
	2500		3000					10050
	2600		3100					10200
	2700		3200					10350
	2800		3300					10500
	2900		3400					10650
	3000		3500					10800
2900	600	3300	1100	250	200	200	1500	7388
	700		1200					7538
	800		1300					7688
	900		1400					7838
	1000		1500					7988
	1100		1600					8138
	1200		1700					8288
	1300		1800					8438
	1400		1900					8588
	1500		2000					8738
	1600		2100					8888
	1700		2200					9038
	1800		2300					9188
	1900		2400					9338
	2000		2500					9488
	2100		2600					9638
	2200		2700					9788
	2300		2800					9938
	2400		2900					10088
	2500		3000					10238
	2600		3100					10388
	2700		3200					10538
	2800		3300					10688
	2900		3400					10838
	3000		3500					10988


● B2600以上で、H2500以上は分割式に対応しています。● B2600~3000は、L2000も製作可能です。



T-25対応

パワフルボックスカルバート

幅 3000～3100



呼び名		寸法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底版厚 a	側壁厚 b	ハンチ c	長さ L	
3000	600	3400	1100	250	200	200	1500	7575
	700		1200					7725
	800		1300					7875
	900		1400					8025
	1000		1500					8175
	1100		1600					8325
	1200		1700					8475
	1300		1800					8625
	1400		1900					8775
	1500		2000					8925
	1600		2100					9075
	1700		2200					9225
	1800		2300					9375
	1900		2400					9525
	2000		2500					9675
	2100		2600					9825
	2200		2700					9975
	2300		2800					10125
	2400		2900					10275
	2500		3000					10425
	2600		3100					10575
	2700		3200					10725
	2800		3300					10875
	2900		3400					11025
	3000		3500					11175
	3100		3600					11325
	3200		3700					11475
3100	800	3500	1300	250	200	200	1500	8063
	900		1400					8213
	1000		1500					8363
	1100		1600					8513
	1200		1700					8663
	1300		1800					8813
	1400		1900					8963
	1500		2000					9113
	1600		2100					9263
	1700		2200					9413
	1800		2300					9563
	1900		2400					9713
	2000		2500					9863
	2100		2600					10013
	2200		2700					10163
	2300		2800					10313
	2400		2900					10463
	2500		3000					10613
	2600		3100					10763
	2700		3200					10913
	2800		3300					11063
	2900		3400					11213
	3000		3500					11363



● B2600以上で、H2500以上は分割式に対応しています。● B2600～3000は、L2000も製作可能です。



T-25対応

パワフルボックスカルバート

幅 3200～3300



呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底版厚 a	側壁厚 b	ハンチ c	長さ L	
3200	800	3600	1300	250	200	200	1500	8250
	900		1400					8400
	1000		1500					8550
	1100		1600					8700
	1200		1700					8850
	1300		1800					9000
	1400		1900					9150
	1500		2000					9300
	1600		2100					9450
	1700		2200					9600
	1800		2300					9750
	1900		2400					9900
	2000		2500					10050
	2100		2600					10200
	2200		2700					10350
	2300		2800					10500
	2400		2900					10650
	2500		3000					10800
	2600		3100					10950
	2700		3200					11100
	2800		3300					11250
	2900		3400					11400
	3000		3500					11550
3300	800	3700	1300	250	200	200	1500	8438
	900		1400					8588
	1000		1500					8738
	1100		1600					8888
	1200		1700					9038
	1300		1800					9188
	1400		1900					9338
	1500		2000					9488
	1600		2100					9638
	1700		2200					9788
	1800		2300					9938
	1900		2400					10088
	2000		2500					10238
	2100		2600					10388
	2200		2700					10538
	2300		2800					10688
	2400		2900					10838
	2500		3000					10988
	2600		3100					11138
	2700		3200					11288
	2800		3300					11438
	2900		3400					11588
	3000		3500					11738


● B2600以上で、H2500以上は分割式に対応しています。● B3100～3400は、L2000も製作可能です。



T-25対応

パワフルボックスカルバート

幅 3400~3500



呼び名		寸 法 (mm)						参考質量 (kg)
幅 B	高さ H	総幅 B'	総高 H'	頂底板厚 a	側壁厚 b	ハンチ c	長さ L	
3400	800	3800	1300	250	200	200	1500	8625
	900		1400					8775
	1000		1500					8925
	1100		1600					9075
	1200		1700					9225
	1300		1800					9375
	1400		1900					9525
	1500		2000					9675
	1600		2100					9825
	1700		2200					9975
	1800		2300					10125
	1900		2400					10275
	2000		2500					10425
	2100		2600					10575
	2200		2700					10725
	2300		2800					10875
	2400		2900					11025
	2500		3000					11175
	2600		3100					11325
	2700		3200					11475
	2800		3300					11625
	2900		3400					11775
	3000		3500					11925
3500	1000	4000	1600	300	250	300	1500	11550
	1100		1700					11738
	1200		1800					11925
	1300		1900					12113
	1400		2000					12300
	1500		2100					12488
	1600		2200					12675
	1700		2300					12863
	1800		2400					13050
	1900		2500					13238
	2000		2600					13425
	2100		2700					13613
	2200		2800					13800
	2300		2900					13988
	2400		3000					14175
	2500		3100					14363
	2600		3200					14550
	2700		3300					14738
	2800		3400					14925
	2900		3500					15113
	3000		3600					15300





- B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 3600～3700



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
3600	1000		1600					11775
	1100		1700					11963
	1200		1800					12150
	1300		1900					12338
	1400		2000					12525
	1500		2100					12713
	1600		2200					12900
	1700		2300					13088
	1800		2400					13275
	1900		2500					13463
	2000	4100	2600	300	250	300	1500	13650
	2100		2700					13838
	2200		2800					14025
	2300		2900					14213
	2400		3000					14400
	2500		3100					14588
	2600		3200					14775
	2700		3300					14963
	2800		3400					15150
	2900		3500					15338
	3000		3600					15525
3700	1000		1600					12000
	1100		1700					12188
	1200		1800					12375
	1300		1900					12563
	1400		2000					12750
	1500		2100					12938
	1600		2200					13125
	1700		2300					13313
	1800		2400					13500
	1900		2500					13688
	2000	4200	2600	300	250	300	1500	13875
	2100		2700					14063
	2200		2800					14250
	2300		2900					14438
	2400		3000					14625
	2500		3100					14813
	2600		3200					15000
	2700		3300					15188
	2800		3400					15375
	2900		3500					15563
	3000		3600					15750



● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 3800～3900



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底板厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
3800	1000		1600					12225
	1100		1700					12413
	1200		1800					12600
	1300		1900					12788
	1400		2000					12975
	1500		2100					13163
	1600		2200					13350
	1700		2300					13538
	1800		2400					13725
	1900		2500					13913
	2000	4300	2600	300	250	300	1500	14100
	2100		2700					14288
	2200		2800					14475
	2300		2900					14663
	2400		3000					14850
	2500		3100					15038
	2600		3200					15225
	2700		3300					15413
	2800		3400					15600
	2900		3500					15788
	3000		3600					15975
3900	1000		1600					12450
	1100		1700					12638
	1200		1800					12825
	1300		1900					13013
	1400		2000					13200
	1500		2100					13388
	1600		2200					13575
	1700		2300					13763
	1800		2400					13950
	1900		2500					14138
	2000	4400	2600	300	250	300	1500	14325
	2100		2700					14513
	2200		2800					14700
	2300		2900					14888
	2400		3000					15075
	2500		3100					15263
	2600		3200					15450
	2700		3300					15638
	2800		3400					15825
	2900		3500					16013
	3000		3600					16200


● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 4000～4100



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
4000	1000		1600					12675
	1100		1700					12863
	1200		1800					13050
	1300		1900					13238
	1400		2000					13425
	1500		2100					13613
	1600		2200					13800
	1700		2300					13988
	1800		2400					14175
	1900		2500					14363
	2000	4500	2600	300	250	300	1500	14550
	2100		2700					14738
	2200		2800					14925
	2300		2900					15113
	2400		3000					15300
	2500		3100					15488
	2600		3200					15675
	2700		3300					15863
	2800		3400					16050
	2900		3500					16238
	3000		3600					16425
4100	1000		1760					10880
	1100		1860					11030
	1200		1960					11180
	1300		2060					11330
	1400		2160					11480
	1500		2260					11630
	1600		2360					11780
	1700		2460					11930
	1800		2560					12080
	1900		2660					12230
	2000	4700	2760	380	300	300	1000	12380
	2100		2860					12530
	2200		2960					12680
	2300		3060					12830
	2400		3160					12980
	2500		3260					13130
	2600		3360					13280
	2700		3460					13430
	2800		3560					13580
	2900		3660					13730
	3000		3760					13880



● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 4200～4300



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底板厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
4200	1000		1760					11070
	1100		1860					11220
	1200		1960					11370
	1300		2060					11520
	1400		2160					11670
	1500		2260					11820
	1600		2360					11970
	1700		2460					12120
	1800		2560					12270
	1900		2660					12420
	2000	4800	2760	380	300	300	1000	12570
	2100		2860					12720
	2200		2960					12870
	2300		3060					13020
	2400		3160					13170
	2500		3260					13320
	2600		3360					13470
	2700		3460					13620
	2800		3560					13770
	2900		3660					13920
	3000		3760					14070
4300	1000		1760					11260
	1100		1860					11410
	1200		1960					11560
	1300		2060					11710
	1400		2160					11860
	1500		2260					12010
	1600		2360					12160
	1700		2460					12310
	1800		2560					12460
	1900		2660					12610
	2000	4900	2760	380	300	300	1000	12760
	2100		2860					12910
	2200		2960					13060
	2300		3060					13210
	2400		3160					13360
	2500		3260					13510
	2600		3360					13660
	2700		3460					13810
	2800		3560					13960
	2900		3660					14110
	3000		3760					14260



● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 4400～4500



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
4400	1000		1760					11450
	1100		1860					11600
	1200		1960					11750
	1300		2060					11900
	1400		2160					12050
	1500		2260					12200
	1600		2360					12350
	1700		2460					12500
	1800		2560					12650
	1900		2660					12800
	2000	5000	2760	380	300	300	1000	12950
	2100		2860					13100
	2200		2960					13250
	2300		3060					13400
	2400		3160					13550
	2500		3260					13700
	2600		3360					13850
	2700		3460					14000
	2800		3560					14150
	2900		3660					14300
	3000		3760					14450
4500	1000		1760					11640
	1100		1860					11790
	1200		1960					11940
	1300		2060					12090
	1400		2160					12240
	1500		2260					12390
	1600		2360					12540
	1700		2460					12690
	1800		2560					12840
	1900		2660					12990
	2000	5100	2760	380	300	300	1000	13140
	2100		2860					13290
	2200		2960					13440
	2300		3060					13590
	2400		3160					13740
	2500		3260					13890
	2600		3360					14040
	2700		3460					14190
	2800		3560					14340
	2900		3660					14490
	3000		3760					14640



● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 4600～4700



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
4600	1000		1760					11830
	1100		1860					11980
	1200		1960					12130
	1300		2060					12280
	1400		2160					12430
	1500		2260					12580
	1600		2360					12730
	1700		2460					12880
	1800		2560					13030
	1900		2660					13180
	2000	5200	2760	380	300	300	1000	13330
	2100		2860					13480
	2200		2960					13630
	2300		3060					13780
	2400		3160					13930
	2500		3260					14080
	2600		3360					14230
	2700		3460					14380
	2800		3560					14530
	2900		3660					14680
	3000		3760					14830
4700	1000		1760					12020
	1100		1860					12170
	1200		1960					12320
	1300		2060					12470
	1400		2160					12620
	1500		2260					12770
	1600		2360					12920
	1700		2460					13070
	1800		2560					13220
	1900		2660					13370
	2000	5300	2760	380	300	300	1000	13520
	2100		2860					13670
	2200		2960					13820
	2300		3060					13970
	2400		3160					14120
	2500		3260					14270
	2600		3360					14420
	2700		3460					14570
	2800		3560					14720
	2900		3660					14870
	3000		3760					15020



● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 4800～4900



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底版厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
4800	1000		1760					12210
	1100		1860					12360
	1200		1960					12510
	1300		2060					12660
	1400		2160					12810
	1500		2260					12960
	1600		2360					13110
	1700		2460					13260
	1800		2560					13410
	1900		2660					13560
	2000	5400	2760	380	300	300	1000	13710
	2100		2860					13860
	2200		2960					14010
	2300		3060					14160
	2400		3160					14310
	2500		3260					14460
	2600		3360					14610
	2700		3460					14760
	2800		3560					14910
	2900		3660					15060
	3000		3760					15210
4900	1000		1760					12400
	1100		1860					12550
	1200		1960					12700
	1300		2060					12850
	1400		2160					13000
	1500		2260					13150
	1600		2360					13300
	1700		2460					13450
	1800		2560					13600
	1900		2660					13750
	2000	5500	2760	380	300	300	1000	13900
	2100		2860					14050
	2200		2960					14200
	2300		3060					14350
	2400		3160					14500
	2500		3260					14650
	2600		3360					14800
	2700		3460					14950
	2800		3560					15100
	2900		3660					15250
	3000		3760					15400


● B2600以上で、H2500以上は分割式に対応しています。



T-25対応

パワフルボックスカルバート

幅 5000



呼び名		寸 法 (mm)						参考質量 (kg)
幅	高さ	総幅	総高	頂底板厚	側壁厚	ハンチ	長さ	
B	H	B'	H'	a	b	c	L	
5000	1000		1760					12590
	1100		1860					12740
	1200		1960					12890
	1300		2060					13040
	1400		2160					13190
	1500		2260					13340
	1600		2360					13490
	1700		2460					13640
	1800		2560					13790
	1900		2660					13940
	2000	5600	2760	380	300	300	1000	14090
	2100		2860					14240
	2200		2960					14390
	2300		3060					14540
	2400		3160					14690
	2500		3260					14840
	2600		3360					14990
	2700		3460					15140
	2800		3560					15290
	2900		3660					15440
	3000		3760					15590

● B2600以上で、H2500以上は分割式に対応しています。

